ORDINANCE NO. 161 FLOOD DAMAGE PREVENTION ORDINANCE

SECTION 1.0

STATUTORY AUTHORIZATION, FINDINGS OF FACT, PURPOSE AND OBJECTIVES

1.1	STATUTORY AUTHORIZATION	
	The Legislature of the State ofWyoming has in	1
	(State)	
	sibility to local governmental units to adopt regulations designed to	
	promote the public health, safety, and general welfare of its citizenry	
	Therefore, the Town Council of Riverside	
	(Governing Body) (Local Unit)	_'
	Wyoming does ordain as follows: (State)	
1.2	FINDINGS OF FACT	
	(1) The flood hazard areas of Riverside are (Local Unit)	
	subject to periodic inundation which results in loss of life	
	and property, health and safety hazards, disruption of commerc	e
	and governmental services, extraordinary public expenditures	
	for flood protection and relief, and impairment of the tax bas	e,
	all of which adversely affect the public health, safety and	
	general welfare.	
	(2) These flood losses are caused by the cumulative effect of	
	obstructions in areas of special flood hazards which increase	
	flood heights and velocities, and when inadequately anchored,	
	damage uses in other areas. Uses that are inadequately flood-	
	proofed, elevated or otherwise protected from flood damage	

also contribute to the flood loss.

1.3 STATEMENT OF PURPOSE

It is the purpose of this ordinance to promote the public health, safety, and general welfare, and to minimize public and private losses due to flood conditions to specific areas by provisions designed:

- (1) To protect human life and health:
- (2) To minimize expenditure of public money for costly flood control projects;
- (3) To minimize the need for rescue and relief efforts associated with flooding and generally undertaken at the expense of the general public;
- (4) To minimize prolonged business interruptions;
- (5) To minimize damage to public facilities and utilities such as water and gas mains, electric, telephone and sewer lines, streets and bridges located in areas of special flood hazard;
- (6) To help maintain a stable tax base by providing for the sound use and development of areas of special flood hazard so as to minimize future flood blight areas;
- (7) To ensure that potential buyers are notified that property is in an area of special flood hazard; and,
- (8) To ensure that those who occupy the areas of special flood hazards assume responsibility for their actions.

1.4 METHODS OF REDUCING FLOOD LOSSES

In order to accomplish its purposes, this ordinance includes methods and provisions for:

- (1) Restricting or prohibiting uses which are dangerous to health, safety, and property due to water or erosion hazards, or which result in damaging increases in erosion or in flood heights or velocities;
- (2) Requiring that uses vulnerable to floods, including facilities which serve such uses, be protected against flood damage at the time of initial construction:
- (3) Controlling the alteration of natural floodplains, stream channels, and natural protective barriers, which help accommodate or channel flood waters;
- (4) Controlling filling, grading, dredging, and other development which may increase flood damage; and,
- (5) Preventing or regulating the construction of flood barriers which will unnaturally divert flood waters or which may increase flood hazards in other areas.

SECTION 2

DEFINITIONS

Unless specifically defined below, words or phrases used in this ordinance shall be interpreted so as to give them the meaning they have in common usage and to give this ordinance its most reasonable application.

"Area of special flood hazard" means the land in the floodplain within a community subject to a one percent or greater chance of flooding in any given year.

"Base flood" means the flood having a one percent chance of being equalled or exceeded in any given year.

"Development" means any man-made change to improved or unimproved real estate, including but not limited to buildings or other structures, mining, dredging, filling, grading, paving, excavation or drilling operations located within the area of special flood hazard.

"Flood" or "flooding" means a general and temporary condition of partial or complete inundation of normally dry land areas from:

- (1) The overflow of inland or tidal waters and/or
- (2) The unusual and rapid accumulation or runoff of surface waters from any source.

"Flood Insurance Rate Map (FIRM)" means an official map of a community on which the Federal Emergency Management Agency has delineated areas of special flood hazard designated as Zone A.

"Manufactured home" means a structure, transportable in one or more sections, which is built on a permanent chassis and is designed for use with or without a permanent foundation when connected to the required utilities. This term also includes park trailers, travel trailers and other similar vehicles placed on a site for greater than 180 consecutive days.

SECTION 3.0

GENERAL PROVISIONS

3.1	LANDS TO WHICH THIS ORDINANCE APPLIES
	This ordinance shall apply to all areas of special flood hazards within the
	jurisdiction of Riverside (Local Unit)
3.2	BASIS FOR ESTABLISHING THE AREAS OF SPECIAL FLOOD HAZARD,
	The areas of special flood hazard identified by the Federal Emergency
	Management Agency in its Flood Insurance Rate May (FIRM), dated
	July 2, 1987 , is adopted by reference and declared to
,	be part of this ordinance. The FIRM is on file at 207 West Welton (Address
	Riverside Town Hall of Map Repository)
3.3	COMPLIANCE
	No structure or land shall hereafter be constructed, located, extended, or
	altered without full compliance with the terms of this ordinance and other
	applicable regulations.

3.4 ABROGATION AND GREATER RESTRICTIONS

This ordinance is not intended to repeal, abrogate, or impair any existing easements, covenants, or deed restrictions. However, where this ordinance and another ordinance, easement, covenant, or deed restriction conflict or overlap, whichever imposes the more stringent restrictions shall prevail.

3.5 INTERPRETATION

In the interpretation of this ordinance, all provisions shall be:

- (1) Considered as minimum requirements;
- (2) Liberally construed in favor of the governing body; and,
- (3) Deemed neither to limit nor repeal any other powers granted under State statutes.

"Structure" means a walled and roofed building or manufactured home that is principally above ground.

"Substantial improvement" means any repair, reconstruction, or improvement of a structure, the cost of which equals or exceeds 50 percent of the market value of the structure either:

- (1) before the improvement or repair is started, or
- (2) if the structure has been damaged and is being restored, before the damage occurred. For the purpose of this definition, "substantial improvement" is considered to occur when the first alteration of any wall, ceiling, floor, or other structural part of the building commences, whether or not that alteration affects the external dimensions of the structure.

The term does not, however, include either:

- (1) any project for improvement of a structure to comply with existing States or local health, sanitary, or safety code specifications which are solely somecessary to assure safe living conditions, or
- (2) any alteration of a structure listed on the National Register of Historic Places or a State Inventory of Historic Places.

3.6 WARNING AND DISCLAIMER OF LIABILITY

The degree of flood protection required by this ordinance is considered reasonable for regulatory purposes and is based on scientific and engineering considerations. Larger floods can and will occur on rare occasions. Flood heights may be increased by man-made or natural causes. This ordinance does not imply that land outside the areas of special flood hazards or uses permitted within such areas of special flood hazards or uses permitted within such areas will be free from flooding or flood damages. This ordinance shall not create liability on the part of

Riverside

, any officer or employee thereof,

(Local Unit)

or the Federal Emergency Management Agency for any flood damages that result from reliance on this ordinance or any administrative decision lawfully made thereunder.

SECTION 4.0

ADMINISTRATION

4.1 EST	CABLISHMENT	OF	DEVELOPMENT	PERMIT
---------	-------------	----	-------------	--------

A develo	pment permit	shall be o	btained	before	constru	ction o	or develop	ment
begins w	rithin any ar	ea of speci	al flood	hazard	establ.	ished i	in Section	3.2.
Applicat	ion for a de	velopment p	ermit sha	all be m	nade on	forms	furnished	by
	Mayor (Local Admin	istrator)	and n	may incl	Lude, bu	ıt not	be limite	d to:

Plans in duplicate drawn to scale showing the nature, location, dimensions, and elevations of the area in question; existing or proposed structures, fill, storage of materials, drainage facilities; and the location of the foregoing. Specifically, the following information is required:

- (1) Elevation in relation to mean sea level of the lowest floor (including basement) of all structures:
- (2) Elevation in relation to mean sea level to which any structure has been floodproofed:
- (3) Certification by a registered professional engineer or architect that the floodproofing methods for any non-residential structure meet the floodproofing criteria in Section 5.2-2; and,
- (4) Description of the extent to which any watercourse will be altered or relocated as a result of proposed development.

4.2	DESIGNATION (ЭF	THE	Mayor	
				(Local	Administrator)

The Mayor is hereby appointed to administer and (Local Administrator)

implement this ordinance by granting or denying development permit applications in accordance with its provisions.

Duties of the Mayor shall include but not be (Local Administrator)

limited to:

4.3-1 Permit Review

- (1) Review all development permits to determine that the permit requirements of this ordinance have been satisfied.
- (2) Review all development permits to determine that all necessary permits have been obtained from those Federal, State or local governmental agencies from which prior approval is required.
- development adversely affects the flood carrying capacity of the area of special flood hazard. For the purposes of this ordinance, "adversely affects" means damage to adjacent properties because of rises in flood stages attributed to physical changes of the channel and the adjacent overbank areas.
 - (i) If it is determined that there is no adverse effect and the development is not a building, then the permit shall be granted without further consideration.
 - (ii) If it is determined that there is an adverse effect, then technical justification (i.e., a registered professional engineer's certification) for the proposed development shall be required.
 - (iii) If the proposed development is a building, then the provisions of this ordinance shall apply.

4.3-2 Use of Other Base Flood Data

When base flood elevation data has not been provided in accordance with Section 3.2, BASIS FOR ESTABLISHING THE AREAS OF SPECIAL FLOOD HAZARD, the

________shall obtain, review, and reasonably (Local Administrator)

utilize any base flood elevation and floodway data available from a Federal, State, or other source in order to administer Sections 5.2-1, SPECIFIC STANDARDS, Residential Construction, and 5.2-2, SPECIFIC STANDARDS, Non-residential Construction.

- 4.3-3 Information to be Obtained and Maintained
 - (1) Obtain and record the actual elevation (in relation to mean sea level) of the lowest floor (including basement) of all new or substantially improved structures.
 - (2) For all new or substantially improved floodproofed structures:
 - (i) verify and record the actual elevation (in relation to mean sea level) to which the structure has been floodproofed, and
 - (ii) maintain the floodproofing certifications required in Section 4.1(3).
 - (3) Maintain for public inspection all records pertaining to the provisions of this ordinance.

4.3-4 Alteration of Watercourses

(1) Notify adjacent communities and the Wyoming (State

Emergengy Management Agency prior to any alteration or Coordinating Agency)

relocation of a watercourse, and submit evidence of such notification to the Federal Emergency Management Agency.

(2) Require that maintenance is provided within the altered or relocated portion of said watercourse so that the flood carrying capacity is not diminished.

there appears to be a conflict between a mapped boundary and actual

4.3-5 Interpretation of FIRM Boundaries

Make interpretations, where needed, as to the exact location of the boundaries of the areas of special flood hazards (for example, where

field conditions.

SECTION 5.0

PROVISIONS FOR FLOOD HAZARD REDUCTION

5.1 GENERAL STANDARDS

In all areas of special flood hazards, the following standards are required:
5.1-1 Anchoring

- (1) All new construction and substantial improvements shall be anchored to prevent flotation, collapse, or lateral movement of the structure and capable of resisting the hydrostatic and hydrodynamic loads.
- (2) All manufactured homes must be elevated and anchored to resist
 flotation, collapse or lateral movement and capable of resisting the
 hydrostatic and hydrodynamic loads. Methods of anchoring may include,
 but are not limited to use of over-the-top or frame ties to ground
 anchors. This requirement is in addition to applicable State and
 local anchoring requirements for resisting wind forces. Specific
 requirements may be:
 - (i) over-the-top ties be provided at each of the four corners of the manufactured home, with two additional ties per side at intermediate locations, with manufactured homes less than 50 feet long requiring one additional tie per side.
 - ii) frame ties be provided at each corner of the home with five additional ties per side at intermediate points, with manufactured homes less than 50 feet long requiring four additional ties per side;

- (iii) all components of the anchoring system be capable of carrying a force of 4,800 pounds; and,
- (iv) any additions to the manufactured home be similarly anchored.

5.1-2 Construction Materials and Methods

- (1) All new construction and substantial improvements shall be constructed with materials and utility equipment resistant to flood damage.
- (2) All new construction and substantial improvements shall be constructed using methods and practices that minimize flood damage.
- (3) All new construction and substantial improvements shall be constructed with electrical, heating, ventilation, plumbing, and air conditioning equipment and other service facilities that are designed and/or located so as to prevent water from entering or accumulating within the components during conditions of flooding.

5.1-3 Utilities

- (1) All new and replacement water supply systems shall be designed to minimize or eliminate infiltration of flood waters into the system:
- (2) New and replacement sanitary sewage systems shall be designed to minimize or eliminate infiltration of flood waters into the systems and discharge from the systems into flood waters; and,

(3) On-site waste disposal systems shall be located to avoid impairment to them or contamination from them during flooding.

5.1-4 Subdivision Proposals

- All subdivision proposals shall be consistent with the need to minimize flood damage;
- (2) All subdivision proposals shall have public utilities and facilities such as sewer, gas, electrical, and water systems located and constructed to minimize flood damage;
- (3) All subdivision proposals shall have adequate drainage provided to reduce exposure to flood damage; and,
- (4) Base flood elevation data shall be provided for subdivision proposals and other proposed development which contain at least 50 lots or 5 acres (whichever is less).

5.1-5 Encroachments

Any proposed development shall be analyzed to determine effects on the flood carrying capacity of the area of special flood hazard as set forth in Section 4.3-1(3), Permit Review.

5.2 SPECIFIC STANDARDS

In all areas of special flood hazards where base flood elevation data has been provided as set forth in Section 4.3-2, Use of Other Base Flood Data, the following standards are required:

5.2-1 Residential Construction

New construction and substantial improvement of any residential structure shall have the lowest floor (including basement) elevated to or above the base flood elevation.

5.2-2 Nonresidential Construction

New construction and substantial improvement of any commercial, industrial or other nonresidential structure shall either have the lowest floor (including basement) elevated to the level of the base flood elevation; or, together with attendant utility and sanitary facilities, shall:

- (1) be floodproofed so that below the base flood level the structure is watertight with walls substantially impermeable to passage of water. A registered professional engineer or architect shall develop and/or review structural design, specifications, and plans for the construction, and shall certify that the design methods of construction are in accordance with accepted standards of practice.
- (2) have structural components capable of resisting hydrostatic and hydrodynamic loads and effects of buoyancy. Fully enclosed areas below the lowest floor that are subject to flooding shall be designed to automatically equalize hydrostatic flood forces on exterior walls by allowing for the entry and exit of floodwaters. Designs for meeting this requirement must either be certified by a registered professional engineer or architect or must meet or exceed the following minimum criteria:
 - (a) A minimum of two openings having a total net area of not less than one square foot of enclosed area subject to flooding shall be provided;

- (b) The bottom of all openings shall be no higher than one foot above grade.
- (c) Openings may be equipped with screens, louvers, or other coverings or devices provided that they permit the automatic entry and exit of floodwaters.
- (3) be certified by a registered professional engineer or architect that the standards of this subsection are satisfied. Such certifications shall be provided to the official set forth \cdot in Section 4.3-3(2).

STON AND
1 AIVERSIDE, AY

(Date)

Chairman, President)